

BARGE "EBL 2989"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2990"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2991"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2992"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2993"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2994"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2995"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2996"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2997"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2998"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									
CAPACITY: 7,506 GALLONS AT (57") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695
1	64	13	1,432	25	321	37	5,060	49	6,725
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815
2	144	14	1,571	26	3,365	38	5,210	50	6,845
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932
3	234	15	1,711	27	3,520	39	5,359	51	6,960
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044
4	332	16	1,855	28	3,675	40	5,506	52	7,070
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149
5	436	17	2,001	29	3,831	41	5,651	53	7,175
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248
6	546	18	2,147	30	3,986	42	5,794	54	7,272
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340
7	662	19	2,296	31	4,141	43	5,935	55	7,362
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383
1/2	720	1/2	2,370	1/2	4,218	1/2	6,005	1/2	7,403
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423
8	781	20	2,446	32	4,296	44	6,074	56	7,442
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490
9	904	21	2,597	33	4,451	45	6,210	57	7,506
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 2999"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									
CAPACITY: 7,506 GALLONS AT (57") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695
1	64	13	1,432	25	321	37	5,060	49	6,725
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815
2	144	14	1,571	26	3,365	38	5,210	50	6,845
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932
3	234	15	1,711	27	3,520	39	5,359	51	6,960
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044
4	332	16	1,855	28	3,675	40	5,506	52	7,070
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149
5	436	17	2,001	29	3,831	41	5,651	53	7,175
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248
6	546	18	2,147	30	3,986	42	5,794	54	7,272
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340
7	662	19	2,296	31	4,141	43	5,935	55	7,362
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383
1/2	720	1/2	2,370	1/2	4,218	1/2	6,005	1/2	7,403
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423
8	781	20	2,446	32	4,296	44	6,074	56	7,442
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490
9	904	21	2,597	33	4,451	45	6,210	57	7,506
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "EBL 3000"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3001"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3002"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3003"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3004"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3009"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3010"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3011"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 7,471 GALLONS AT (56") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1332	24	3099	36	4954	48	6642
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	83	13	1469	25	3253	37	5165	49	6765
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	166	14	1609	26	3408	38	5255	50	6884
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	258	15	1751	27	3564	39	5403	51	6998
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	358	16	1894	28	3720	40	5550	52	7167
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	464	17	2040	29	3875	41	5695	53	7210
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	576	18	2168	30	4031	42	5838	54	7306
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	692	19	2337	31	4186	43	5978	55	7394
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	813	20	2487	32	4345	44	6117	56	7471
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	937	21	2639	33	4495	45	6253	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	1066	22	2751	34	4649	46	6386	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	1157	23	2944	35	4862	47	6516	59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3012"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 7,471 GALLONS AT (56") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,332	24	3,099	36	4,954	48	6,642
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	83	13	1,469	25	3,253	37	5,165	49	6,765
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	166	14	1,609	26	3,408	38	5,255	50	6,884
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	258	15	1,751	27	3,564	39	5,403	51	6,998
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	358	16	1,894	28	3,720	40	5,550	52	7,167
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	464	17	2,040	29	3,875	41	5,695	53	7,210
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	576	18	2,168	30	4,031	42	5,838	54	2,306
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	692	19	2,337	31	4,186	43	5,978	55	7,394
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	813	20	2,487	32	4,345	44	6,117	56	7,471
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	937	21	2,639	33	4,495	45	6,253	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	1,066	22	2,751	34	4,649	46	6,386	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	1,157	23	2,944	35	4,862	47	6,516	59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3013"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								12/24/2009	
CAPACITY: 528.12 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	176.04	24	352.08	36	528.12	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	14.67	13	190.71	25	366.75	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	29.34	14	205.38	26	381.42	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	44.01	15	220.05	27	396.09	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	58.68	16	234.72	28	410.76	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	73.35	17	249.39	29	425.43	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	88.02	18	264.06	30	440.1	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	102.69	19	278.73	31	454.77	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	117.36	20	293.4	32	469.44	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	132.03	21	308.07	33	484.11	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	146.7	22	322.74	34	498.78	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	161.37	23	337.41	35	513.45	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3014"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								12/24/2009	
CAPACITY: 528.12 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	176.04	24	352.08	36	528.12	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	14.67	13	190.71	25	366.75	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	29.34	14	205.38	26	381.42	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	44.01	15	220.05	27	396.09	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	58.68	16	234.72	28	410.76	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	73.35	17	249.39	29	425.43	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	88.02	18	264.06	30	440.1	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	102.69	19	278.73	31	454.77	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	117.36	20	293.4	32	469.44	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	132.03	21	308.07	33	484.11	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	146.7	22	322.74	34	498.78	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	161.37	23	337.41	35	513.45	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3015"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								12/24/2009	
CAPACITY: 528.12 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	176.04	24	352.08	36	528.12	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	14.67	13	190.71	25	366.75	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	29.34	14	205.38	26	381.42	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	44.01	15	220.05	27	396.09	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	58.68	16	234.72	28	410.76	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	73.35	17	249.39	29	425.43	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	88.02	18	264.06	30	440.1	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	102.69	19	278.73	31	454.77	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	117.36	20	293.4	32	469.44	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	132.03	21	308.07	33	484.11	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	146.7	22	322.74	34	498.78	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	161.37	23	337.41	35	513.45	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3016"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3017"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3060"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3061"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3062"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									
CAPACITY: 7,506 GALLONS AT (57") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695
1	64	13	1,432	25	321	37	5,060	49	6,725
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815
2	144	14	1,571	26	3,365	38	5,210	50	6,845
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932
3	234	15	1,711	27	3,520	39	5,359	51	6,960
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044
4	332	16	1,855	28	3,675	40	5,506	52	7,070
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149
5	436	17	2,001	29	3,831	41	5,651	53	7,175
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248
6	546	18	2,147	30	3,986	42	5,794	54	7,272
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340
7	662	19	2,296	31	4,141	43	5,935	55	7,362
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383
1/2	720	1/2	2,370	1/2	4,218	1/2	6,005	1/2	7,403
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423
8	781	20	2,446	32	4,296	44	6,074	56	7,442
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490
9	904	21	2,597	33	4,451	45	6,210	57	7,506
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3063"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 7,506 GALLONS AT (57") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695
1	64	13	1,432	25	321	37	5,060	49	6,725
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815
2	144	14	1,571	26	3,365	38	5,210	50	6,845
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932
3	234	15	1,711	27	3,520	39	5,359	51	6,960
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044
4	332	16	1,855	28	3,675	40	5,506	52	7,070
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149
5	436	17	2,001	29	3,831	41	5,651	53	7,175
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248
6	546	18	2,147	30	3,986	42	5,794	54	7,272
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340
7	662	19	2,296	31	4,141	43	5,935	55	7,362
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383
1/2	720	1/2	2,370	1/2	4,218	1/2	6,005	1/2	7,403
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423
8	781	20	2,446	32	4,296	44	6,074	56	7,442
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490
9	904	21	2,597	33	4,451	45	6,210	57	7,506
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3064"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 7,506 GALLONS AT (57") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695
1	64	13	1,432	25	321	37	5,060	49	6,725
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815
2	144	14	1,571	26	3,365	38	5,210	50	6,845
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932
3	234	15	1,711	27	3,520	39	5,359	51	6,960
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044
4	332	16	1,855	28	3,675	40	5,506	52	7,070
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149
5	436	17	2,001	29	3,831	41	5,651	53	7,175
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248
6	546	18	2,147	30	3,986	42	5,794	54	7,272
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340
7	662	19	2,296	31	4,141	43	5,935	55	7,362
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383
1/2	720	1/2	2,370	1/2	4,218	1/2	6,005	1/2	7,403
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423
8	781	20	2,446	32	4,296	44	6,074	56	7,442
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490
9	904	21	2,597	33	4,451	45	6,210	57	7,506
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3065"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 7,506 GALLONS AT (57") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695
1	64	13	1,432	25	321	37	5,060	49	6,725
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815
2	144	14	1,571	26	3,365	38	5,210	50	6,845
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932
3	234	15	1,711	27	3,520	39	5,359	51	6,960
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044
4	332	16	1,855	28	3,675	40	5,506	52	7,070
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149
5	436	17	2,001	29	3,831	41	5,651	53	7,175
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248
6	546	18	2,147	30	3,986	42	5,794	54	7,272
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340
7	662	19	2,296	31	4,141	43	5,935	55	7,362
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383
1/2	720	1/2	2,370	1/2	4,218	1/2	6,005	1/2	7,403
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423
8	781	20	2,446	32	4,296	44	6,074	56	7,442
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490
9	904	21	2,597	33	4,451	45	6,210	57	7,506
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3066"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,563 GALLONS AT (73.5") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,235	24	2,469	36	3,704	48	4,939	60	6,174	72	7,408
1/4	26	1/4	1,260	1/4	2,495	1/4	3,730	1/4	4,965	1/4	6,199	1/4	7,434
1/2	51	1/2	1,286	1/2	2,521	1/2	3,756	1/2	4,990	1/2	6,225	1/2	7,460
3/4	77	3/4	1,312	3/4	2,547	3/4	3,781	3/4	5,016	3/4	6,251	3/4	7,485
1	103	13	1,338	25	2,572	37	3,807	49	5,042	61	6,276	73	7,511
1/4	129	1/4	1,363	1/4	2,598	1/4	3,833	1/4	5,067	1/4	6,302	1/4	7,537
1/2	154	1/2	1,389	1/2	2,624	1/2	3,858	1/2	5,093	1/2	6,328	1/2	7,563
3/4	180	3/4	1,415	3/4	2,649	3/4	3,884	3/4	5,119	3/4	6,354	3/4	
2	206	14	1,440	26	2,675	38	3,910	50	5,145	62	6,379	74	
1/4	232	1/4	1,466	1/4	2,701	1/4	3,936	1/4	5,170	1/4	6,405	1/4	
1/2	257	1/2	1,492	1/2	2,727	1/2	3,961	1/2	5,196	1/2	6,431	1/2	
3/4	283	3/4	1,518	3/4	2,752	3/4	3,987	3/4	5,222	3/4	6,456	3/4	
3	309	15	1,543	27	2,778	39	4,013	51	5,247	63	6,482	75	
1/4	334	1/4	1,569	1/4	2,804	1/4	4,039	1/4	5,273	1/4	6,508	1/4	
1/2	360	1/2	1,595	1/2	2,830	1/2	4,064	1/2	5,299	1/2	6,534	1/2	
3/4	386	3/4	1,621	3/4	2,855	3/4	4,090	3/4	5,325	3/4	6,559	3/4	
4	412	16	1,646	28	2,881	40	4,116	52	5,350	64	6,585	76	
1/4	437	1/4	1,672	1/4	2,907	1/4	4,141	1/4	5,376	1/4	6,611	1/4	
1/2	463	1/2	1,698	1/2	2,932	1/2	4,167	1/2	5,402	1/2	6,637	1/2	
3/4	489	3/4	1,723	3/4	2,958	3/4	4,193	3/4	5,428	3/4	6,662	3/4	
5	514	17	1,749	29	2,984	41	4,219	53	5,453	65	6,688	77	
1/4	540	1/4	1,775	1/4	3,010	1/4	4,244	1/4	5,479	1/4	6,714	1/4	
1/2	566	1/2	1,801	1/2	3,035	1/2	4,270	1/2	5,505	1/2	6,739	1/2	
3/4	592	3/4	1,826	3/4	3,061	3/4	4,296	3/4	5,530	3/4	6,765	3/4	
6	617	18	1,852	30	3,087	42	4,321	54	5,556	66	6,791	78	
1/4	643	1/4	1,878	1/4	3,112	1/4	4,347	1/4	5,582	1/4	6,817	1/4	
1/2	669	1/2	1,904	1/2	3,138	1/2	4,373	1/2	5,608	1/2	6,842	1/2	
3/4	695	3/4	1,929	3/4	3,164	3/4	4,399	3/4	5,633	3/4	6,868	3/4	
7	720	19	1,955	31	3,190	43	4,424	55	5,659	67	6,894	79	
1/4	746	1/4	1,981	1/4	3,215	1/4	4,450	1/4	5,685	1/4	6,919	1/4	
1/2	772	1/2	2,006	1/2	3,241	1/2	4,476	1/2	5,711	1/2	6,945	1/2	
3/4	797	3/4	2,032	3/4	3,267	3/4	4,502	3/4	5,736	3/4	6,971	3/4	
8	823	20	2,058	32	3,293	44	4,527	56	5,762	68	6,997	80	
1/4	849	1/4	2,084	1/4	3,318	1/4	4,553	1/4	5,788	1/4	7,022	1/4	
1/2	875	1/2	2,109	1/2	3,344	1/2	4,579	1/2	5,813	1/2	7,048	1/2	
3/4	900	3/4	2,135	3/4	3,370	3/4	4,604	3/4	5,839	3/4	7,074	3/4	
9	926	21	2,161	33	3,395	45	4,630	57	5,865	69	7,100	81	
1/4	952	1/4	2,186	1/4	3,421	1/4	4,656	1/4	5,891	1/4	7,125	1/4	
1/2	977	1/2	2,212	1/2	3,447	1/2	4,682	1/2	5,916	1/2	7,151	1/2	
3/4	1,003	3/4	2,238	3/4	3,473	3/4	4,707	3/4	5,942	3/4	7,177	3/4	
10	1,029	22	2,264	34	3,498	46	4,733	58	5,968	70	7,202	82	
1/4	1,055	1/4	2,289	1/4	3,524	1/4	4,759	1/4	5,993	1/4	7,228	1/4	
1/2	1,080	1/2	2,315	1/2	3,550	1/2	4,784	1/2	6,019	1/2	7,254	1/2	
3/4	1,106	3/4	2,341	3/4	3,575	3/4	4,810	3/4	6,045	3/4	7,280	3/4	
11	1,132	23	2,367	35	3,601	47	4,836	59	6,071	71	7,305	83	
1/4	1,158	1/4	2,392	1/4	3,627	1/4	4,862	1/4	6,096	1/4	7,331	1/4	
1/2	1,183	1/2	2,418	1/2	3,653	1/2	4,887	1/2	6,122	1/2	7,357	1/2	
3/4	1,209	3/4	2,444	3/4	3,678	3/4	4,913	3/4	6,148	3/4	7,383	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3067"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,563 GALLONS AT (73.5") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,235	24	2,469	36	3,704	48	4,939	60	6,174	72	7,408
1/4	26	1/4	1,260	1/4	2,495	1/4	3,730	1/4	4,965	1/4	6,199	1/4	7,434
1/2	51	1/2	1,286	1/2	2,521	1/2	3,756	1/2	4,990	1/2	6,225	1/2	7,460
3/4	77	3/4	1,312	3/4	2,547	3/4	3,781	3/4	5,016	3/4	6,251	3/4	7,485
1	103	13	1,338	25	2,572	37	3,807	49	5,042	61	6,276	73	7,511
1/4	129	1/4	1,363	1/4	2,598	1/4	3,833	1/4	5,067	1/4	6,302	1/4	7,537
1/2	154	1/2	1,389	1/2	2,624	1/2	3,858	1/2	5,093	1/2	6,328	1/2	7,563
3/4	180	3/4	1,415	3/4	2,649	3/4	3,884	3/4	5,119	3/4	6,354	3/4	
2	206	14	1,440	26	2,675	38	3,910	50	5,145	62	6,379	74	
1/4	232	1/4	1,466	1/4	2,701	1/4	3,936	1/4	5,170	1/4	6,405	1/4	
1/2	257	1/2	1,492	1/2	2,727	1/2	3,961	1/2	5,196	1/2	6,431	1/2	
3/4	283	3/4	1,518	3/4	2,752	3/4	3,987	3/4	5,222	3/4	6,456	3/4	
3	309	15	1,543	27	2,778	39	4,013	51	5,247	63	6,482	75	
1/4	334	1/4	1,569	1/4	2,804	1/4	4,039	1/4	5,273	1/4	6,508	1/4	
1/2	360	1/2	1,595	1/2	2,830	1/2	4,064	1/2	5,299	1/2	6,534	1/2	
3/4	386	3/4	1,621	3/4	2,855	3/4	4,090	3/4	5,325	3/4	6,559	3/4	
4	412	16	1,646	28	2,881	40	4,116	52	5,350	64	6,585	76	
1/4	437	1/4	1,672	1/4	2,907	1/4	4,141	1/4	5,376	1/4	6,611	1/4	
1/2	463	1/2	1,698	1/2	2,932	1/2	4,167	1/2	5,402	1/2	6,637	1/2	
3/4	489	3/4	1,723	3/4	2,958	3/4	4,193	3/4	5,428	3/4	6,662	3/4	
5	514	17	1,749	29	2,984	41	4,219	53	5,453	65	6,688	77	
1/4	540	1/4	1,775	1/4	3,010	1/4	4,244	1/4	5,479	1/4	6,714	1/4	
1/2	566	1/2	1,801	1/2	3,035	1/2	4,270	1/2	5,505	1/2	6,739	1/2	
3/4	592	3/4	1,826	3/4	3,061	3/4	4,296	3/4	5,530	3/4	6,765	3/4	
6	617	18	1,852	30	3,087	42	4,321	54	5,556	66	6,791	78	
1/4	643	1/4	1,878	1/4	3,112	1/4	4,347	1/4	5,582	1/4	6,817	1/4	
1/2	669	1/2	1,904	1/2	3,138	1/2	4,373	1/2	5,608	1/2	6,842	1/2	
3/4	695	3/4	1,929	3/4	3,164	3/4	4,399	3/4	5,633	3/4	6,868	3/4	
7	720	19	1,955	31	3,190	43	4,424	55	5,659	67	6,894	79	
1/4	746	1/4	1,981	1/4	3,215	1/4	4,450	1/4	5,685	1/4	6,919	1/4	
1/2	772	1/2	2,006	1/2	3,241	1/2	4,476	1/2	5,711	1/2	6,945	1/2	
3/4	797	3/4	2,032	3/4	3,267	3/4	4,502	3/4	5,736	3/4	6,971	3/4	
8	823	20	2,058	32	3,293	44	4,527	56	5,762	68	6,997	80	
1/4	849	1/4	2,084	1/4	3,318	1/4	4,553	1/4	5,788	1/4	7,022	1/4	
1/2	875	1/2	2,109	1/2	3,344	1/2	4,579	1/2	5,813	1/2	7,048	1/2	
3/4	900	3/4	2,135	3/4	3,370	3/4	4,604	3/4	5,839	3/4	7,074	3/4	
9	926	21	2,161	33	3,395	45	4,630	57	5,865	69	7,100	81	
1/4	952	1/4	2,186	1/4	3,421	1/4	4,656	1/4	5,891	1/4	7,125	1/4	
1/2	977	1/2	2,212	1/2	3,447	1/2	4,682	1/2	5,916	1/2	7,151	1/2	
3/4	1,003	3/4	2,238	3/4	3,473	3/4	4,707	3/4	5,942	3/4	7,177	3/4	
10	1,029	22	2,264	34	3,498	46	4,733	58	5,968	70	7,202	82	
1/4	1,055	1/4	2,289	1/4	3,524	1/4	4,759	1/4	5,993	1/4	7,228	1/4	
1/2	1,080	1/2	2,315	1/2	3,550	1/2	4,784	1/2	6,019	1/2	7,254	1/2	
3/4	1,106	3/4	2,341	3/4	3,575	3/4	4,810	3/4	6,045	3/4	7,280	3/4	
11	1,132	23	2,367	35	3,601	47	4,836	59	6,071	71	7,305	83	
1/4	1,158	1/4	2,392	1/4	3,627	1/4	4,862	1/4	6,096	1/4	7,331	1/4	
1/2	1,183	1/2	2,418	1/2	3,653	1/2	4,887	1/2	6,122	1/2	7,357	1/2	
3/4	1,209	3/4	2,444	3/4	3,678	3/4	4,913	3/4	6,148	3/4	7,383	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3068"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													
CAPACITY: 7,563 GALLONS AT (73.5") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,235	24	2,469	36	3,704	48	4,939	60	6,174	72	7,408
1/4	26	1/4	1,260	1/4	2,495	1/4	3,730	1/4	4,965	1/4	6,199	1/4	7,434
1/2	51	1/2	1,286	1/2	2,521	1/2	3,756	1/2	4,990	1/2	6,225	1/2	7,460
3/4	77	3/4	1,312	3/4	2,547	3/4	3,781	3/4	5,016	3/4	6,251	3/4	7,485
1	103	13	1,338	25	2,572	37	3,807	49	5,042	61	6,276	73	7,511
1/4	129	1/4	1,363	1/4	2,598	1/4	3,833	1/4	5,067	1/4	6,302	1/4	7,537
1/2	154	1/2	1,389	1/2	2,624	1/2	3,858	1/2	5,093	1/2	6,328	1/2	7,563
3/4	180	3/4	1,415	3/4	2,649	3/4	3,884	3/4	5,119	3/4	6,354	3/4	
2	206	14	1,440	26	2,675	38	3,910	50	5,145	62	6,379	74	
1/4	232	1/4	1,466	1/4	2,701	1/4	3,936	1/4	5,170	1/4	6,405	1/4	
1/2	257	1/2	1,492	1/2	2,727	1/2	3,961	1/2	5,196	1/2	6,431	1/2	
3/4	283	3/4	1,518	3/4	2,752	3/4	3,987	3/4	5,222	3/4	6,456	3/4	
3	309	15	1,543	27	2,778	39	4,013	51	5,247	63	6,482	75	
1/4	334	1/4	1,569	1/4	2,804	1/4	4,039	1/4	5,273	1/4	6,508	1/4	
1/2	360	1/2	1,595	1/2	2,830	1/2	4,064	1/2	5,299	1/2	6,534	1/2	
3/4	386	3/4	1,621	3/4	2,855	3/4	4,090	3/4	5,325	3/4	6,559	3/4	
4	412	16	1,646	28	2,881	40	4,116	52	5,350	64	6,585	76	
1/4	437	1/4	1,672	1/4	2,907	1/4	4,141	1/4	5,376	1/4	6,611	1/4	
1/2	463	1/2	1,698	1/2	2,932	1/2	4,167	1/2	5,402	1/2	6,637	1/2	
3/4	489	3/4	1,723	3/4	2,958	3/4	4,193	3/4	5,428	3/4	6,662	3/4	
5	514	17	1,749	29	2,984	41	4,219	53	5,453	65	6,688	77	
1/4	540	1/4	1,775	1/4	3,010	1/4	4,244	1/4	5,479	1/4	6,714	1/4	
1/2	566	1/2	1,801	1/2	3,035	1/2	4,270	1/2	5,505	1/2	6,739	1/2	
3/4	592	3/4	1,826	3/4	3,061	3/4	4,296	3/4	5,530	3/4	6,765	3/4	
6	617	18	1,852	30	3,087	42	4,321	54	5,556	66	6,791	78	
1/4	643	1/4	1,878	1/4	3,112	1/4	4,347	1/4	5,582	1/4	6,817	1/4	
1/2	669	1/2	1,904	1/2	3,138	1/2	4,373	1/2	5,608	1/2	6,842	1/2	
3/4	695	3/4	1,929	3/4	3,164	3/4	4,399	3/4	5,633	3/4	6,868	3/4	
7	720	19	1,955	31	3,190	43	4,424	55	5,659	67	6,894	79	
1/4	746	1/4	1,981	1/4	3,215	1/4	4,450	1/4	5,685	1/4	6,919	1/4	
1/2	772	1/2	2,006	1/2	3,241	1/2	4,476	1/2	5,711	1/2	6,945	1/2	
3/4	797	3/4	2,032	3/4	3,267	3/4	4,502	3/4	5,736	3/4	6,971	3/4	
8	823	20	2,058	32	3,293	44	4,527	56	5,762	68	6,997	80	
1/4	849	1/4	2,084	1/4	3,318	1/4	4,553	1/4	5,788	1/4	7,022	1/4	
1/2	875	1/2	2,109	1/2	3,344	1/2	4,579	1/2	5,813	1/2	7,048	1/2	
3/4	900	3/4	2,135	3/4	3,370	3/4	4,604	3/4	5,839	3/4	7,074	3/4	
9	926	21	2,161	33	3,395	45	4,630	57	5,865	69	7,100	81	
1/4	952	1/4	2,186	1/4	3,421	1/4	4,656	1/4	5,891	1/4	7,125	1/4	
1/2	977	1/2	2,212	1/2	3,447	1/2	4,682	1/2	5,916	1/2	7,151	1/2	
3/4	1,003	3/4	2,238	3/4	3,473	3/4	4,707	3/4	5,942	3/4	7,177	3/4	
10	1,029	22	2,264	34	3,498	46	4,733	58	5,968	70	7,202	82	
1/4	1,055	1/4	2,289	1/4	3,524	1/4	4,759	1/4	5,993	1/4	7,228	1/4	
1/2	1,080	1/2	2,315	1/2	3,550	1/2	4,784	1/2	6,019	1/2	7,254	1/2	
3/4	1,106	3/4	2,341	3/4	3,575	3/4	4,810	3/4	6,045	3/4	7,280	3/4	
11	1,132	23	2,367	35	3,601	47	4,836	59	6,071	71	7,305	83	
1/4	1,158	1/4	2,392	1/4	3,627	1/4	4,862	1/4	6,096	1/4	7,331	1/4	
1/2	1,183	1/2	2,418	1/2	3,653	1/2	4,887	1/2	6,122	1/2	7,357	1/2	
3/4	1,209	3/4	2,444	3/4	3,678	3/4	4,913	3/4	6,148	3/4	7,383	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3069"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,563 GALLONS AT (73.5") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,235	24	2,469	36	3,704	48	4,939	60	6,174	72	7,408
1/4	26	1/4	1,260	1/4	2,495	1/4	3,730	1/4	4,965	1/4	6,199	1/4	7,434
1/2	51	1/2	1,286	1/2	2,521	1/2	3,756	1/2	4,990	1/2	6,225	1/2	7,460
3/4	77	3/4	1,312	3/4	2,547	3/4	3,781	3/4	5,016	3/4	6,251	3/4	7,485
1	103	13	1,338	25	2,572	37	3,807	49	5,042	61	6,276	73	7,511
1/4	129	1/4	1,363	1/4	2,598	1/4	3,833	1/4	5,067	1/4	6,302	1/4	7,537
1/2	154	1/2	1,389	1/2	2,624	1/2	3,858	1/2	5,093	1/2	6,328	1/2	7,563
3/4	180	3/4	1,415	3/4	2,649	3/4	3,884	3/4	5,119	3/4	6,354	3/4	
2	206	14	1,440	26	2,675	38	3,910	50	5,145	62	6,379	74	
1/4	232	1/4	1,466	1/4	2,701	1/4	3,936	1/4	5,170	1/4	6,405	1/4	
1/2	257	1/2	1,492	1/2	2,727	1/2	3,961	1/2	5,196	1/2	6,431	1/2	
3/4	283	3/4	1,518	3/4	2,752	3/4	3,987	3/4	5,222	3/4	6,456	3/4	
3	309	15	1,543	27	2,778	39	4,013	51	5,247	63	6,482	75	
1/4	334	1/4	1,569	1/4	2,804	1/4	4,039	1/4	5,273	1/4	6,508	1/4	
1/2	360	1/2	1,595	1/2	2,830	1/2	4,064	1/2	5,299	1/2	6,534	1/2	
3/4	386	3/4	1,621	3/4	2,855	3/4	4,090	3/4	5,325	3/4	6,559	3/4	
4	412	16	1,646	28	2,881	40	4,116	52	5,350	64	6,585	76	
1/4	437	1/4	1,672	1/4	2,907	1/4	4,141	1/4	5,376	1/4	6,611	1/4	
1/2	463	1/2	1,698	1/2	2,932	1/2	4,167	1/2	5,402	1/2	6,637	1/2	
3/4	489	3/4	1,723	3/4	2,958	3/4	4,193	3/4	5,428	3/4	6,662	3/4	
5	514	17	1,749	29	2,984	41	4,219	53	5,453	65	6,688	77	
1/4	540	1/4	1,775	1/4	3,010	1/4	4,244	1/4	5,479	1/4	6,714	1/4	
1/2	566	1/2	1,801	1/2	3,035	1/2	4,270	1/2	5,505	1/2	6,739	1/2	
3/4	592	3/4	1,826	3/4	3,061	3/4	4,296	3/4	5,530	3/4	6,765	3/4	
6	617	18	1,852	30	3,087	42	4,321	54	5,556	66	6,791	78	
1/4	643	1/4	1,878	1/4	3,112	1/4	4,347	1/4	5,582	1/4	6,817	1/4	
1/2	669	1/2	1,904	1/2	3,138	1/2	4,373	1/2	5,608	1/2	6,842	1/2	
3/4	695	3/4	1,929	3/4	3,164	3/4	4,399	3/4	5,633	3/4	6,868	3/4	
7	720	19	1,955	31	3,190	43	4,424	55	5,659	67	6,894	79	
1/4	746	1/4	1,981	1/4	3,215	1/4	4,450	1/4	5,685	1/4	6,919	1/4	
1/2	772	1/2	2,006	1/2	3,241	1/2	4,476	1/2	5,711	1/2	6,945	1/2	
3/4	797	3/4	2,032	3/4	3,267	3/4	4,502	3/4	5,736	3/4	6,971	3/4	
8	823	20	2,058	32	3,293	44	4,527	56	5,762	68	6,997	80	
1/4	849	1/4	2,084	1/4	3,318	1/4	4,553	1/4	5,788	1/4	7,022	1/4	
1/2	875	1/2	2,109	1/2	3,344	1/2	4,579	1/2	5,813	1/2	7,048	1/2	
3/4	900	3/4	2,135	3/4	3,370	3/4	4,604	3/4	5,839	3/4	7,074	3/4	
9	926	21	2,161	33	3,395	45	4,630	57	5,865	69	7,100	81	
1/4	952	1/4	2,186	1/4	3,421	1/4	4,656	1/4	5,891	1/4	7,125	1/4	
1/2	977	1/2	2,212	1/2	3,447	1/2	4,682	1/2	5,916	1/2	7,151	1/2	
3/4	1,003	3/4	2,238	3/4	3,473	3/4	4,707	3/4	5,942	3/4	7,177	3/4	
10	1,029	22	2,264	34	3,498	46	4,733	58	5,968	70	7,202	82	
1/4	1,055	1/4	2,289	1/4	3,524	1/4	4,759	1/4	5,993	1/4	7,228	1/4	
1/2	1,080	1/2	2,315	1/2	3,550	1/2	4,784	1/2	6,019	1/2	7,254	1/2	
3/4	1,106	3/4	2,341	3/4	3,575	3/4	4,810	3/4	6,045	3/4	7,280	3/4	
11	1,132	23	2,367	35	3,601	47	4,836	59	6,071	71	7,305	83	
1/4	1,158	1/4	2,392	1/4	3,627	1/4	4,862	1/4	6,096	1/4	7,331	1/4	
1/2	1,183	1/2	2,418	1/2	3,653	1/2	4,887	1/2	6,122	1/2	7,357	1/2	
3/4	1,209	3/4	2,444	3/4	3,678	3/4	4,913	3/4	6,148	3/4	7,383	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3070"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3071"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3072"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3073"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													
CAPACITY: 7,614 GALLONS AT (74") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,235	24	2,469	36	3,704	48	4,939	60	6,174	72	7,408
1/4	26	1/4	1,260	1/4	2,495	1/4	3,730	1/4	4,965	1/4	6,199	1/4	7,434
1/2	51	1/2	1,286	1/2	2,521	1/2	3,756	1/2	4,990	1/2	6,225	1/2	7,460
3/4	77	3/4	1,312	3/4	2,547	3/4	3,781	3/4	5,016	3/4	6,251	3/4	7,485
1	103	13	1,338	25	2,572	37	3,807	49	5,042	61	6,276	73	7,511
1/4	129	1/4	1,363	1/4	2,598	1/4	3,833	1/4	5,067	1/4	6,302	1/4	7,537
1/2	154	1/2	1,389	1/2	2,624	1/2	3,858	1/2	5,093	1/2	6,328	1/2	7,563
3/4	180	3/4	1,415	3/4	2,649	3/4	3,884	3/4	5,119	3/4	6,354	3/4	7,588
2	206	14	1,440	26	2,675	38	3,910	50	5,145	62	6,379	74	7,614
1/4	232	1/4	1,466	1/4	2,701	1/4	3,936	1/4	5,170	1/4	6,405	1/4	
1/2	257	1/2	1,492	1/2	2,727	1/2	3,961	1/2	5,196	1/2	6,431	1/2	
3/4	283	3/4	1,517	3/4	2,752	3/4	3,987	3/4	5,222	3/4	6,456	3/4	
3	309	15	1,543	27	2,778	39	4,013	51	5,247	63	6,482	75	
1/4	334	1/4	1,569	1/4	2,804	1/4	4,039	1/4	5,273	1/4	6,508	1/4	
1/2	360	1/2	1,595	1/2	2,830	1/2	4,064	1/2	5,299	1/2	6,534	1/2	
3/4	386	3/4	1,621	3/4	2,855	3/4	4,090	3/4	5,325	3/4	6,559	3/4	
4	412	16	1,646	28	2,881	40	4,116	52	5,350	64	6,585	76	
1/4	437	1/4	1,672	1/4	2,907	1/4	4,141	1/4	5,376	1/4	6,611	1/4	
1/2	463	1/2	1,698	1/2	2,932	1/2	4,167	1/2	5,402	1/2	6,637	1/2	
3/4	489	3/4	1,723	3/4	2,958	3/4	4,193	3/4	5,428	3/4	6,662	3/4	
5	514	17	1,749	29	2,984	41	4,219	53	5,453	65	6,688	77	
1/4	540	1/4	1,775	1/4	3,010	1/4	4,244	1/4	5,479	1/4	6,714	1/4	
1/2	466	1/2	1,801	1/2	3,035	1/2	4,270	1/2	5,505	1/2	6,739	1/2	
3/4	492	3/4	1,726	3/4	3,061	3/4	4,296	3/4	5,530	3/4	6,765	3/4	
6	617	18	1,852	30	3,087	42	4,321	54	5,556	66	6,791	78	
1/4	643	1/4	1,878	1/4	3,112	1/4	4,347	1/4	5,582	1/4	6,817	1/4	
1/2	669	1/2	1,904	1/2	3,138	1/2	4,373	1/2	5,608	1/2	6,842	1/2	
3/4	695	3/4	1,929	3/4	3,164	3/4	4,399	3/4	5,633	3/4	6,868	3/4	
7	720	19	1,955	31	3,190	43	4,424	55	5,659	67	6,894	79	
1/4	746	1/4	1,981	1/4	3,215	1/4	4,450	1/4	5,685	1/4	6,919	1/4	
1/2	772	1/2	2,006	1/2	3,241	1/2	4,476	1/2	5,711	1/2	6,945	1/2	
3/4	797	3/4	2,032	3/4	3,267	3/4	4,502	3/4	5,736	3/4	6,971	3/4	
8	823	20	2,058	32	3,293	44	4,527	56	5,762	68	6,997	80	
1/4	849	1/4	2,084	1/4	3,318	1/4	4,553	1/4	5,788	1/4	7,022	1/4	
1/2	875	1/2	2,109	1/2	3,344	1/2	4,579	1/2	5,813	1/2	7,048	1/2	
3/4	900	3/4	2,135	3/4	3,370	3/4	4,604	3/4	5,839	3/4	7,074	3/4	
9	926	21	2,161	33	3,395	45	4,630	57	5,865	69	7,100	81	
1/4	952	1/4	2,186	1/4	3,421	1/4	4,656	1/4	5,891	1/4	7,125	1/4	
1/2	977	1/2	2,212	1/2	3,447	1/2	4,682	1/2	5,916	1/2	7,151	1/2	
3/4	1,003	3/4	2,238	3/4	3,473	3/4	4,707	3/4	5,942	3/4	7,177	3/4	
10	1,029	22	2,264	34	3,498	46	4,733	58	5,968	70	7,202	82	
1/4	1,055	1/4	2,289	1/4	3,524	1/4	4,759	1/4	5,993	1/4	7,228	1/4	
1/2	1,080	1/2	2,315	1/2	3,550	1/2	4,784	1/2	6,019	1/2	7,254	1/2	
3/4	1,106	3/4	2,341	3/4	3,575	3/4	4,810	3/4	6,045	3/4	7,280	3/4	
11	1,132	23	2,367	35	3,601	47	4,836	59	6,071	71	7,305	83	
1/4	1,158	1/4	2,392	1/4	3,627	1/4	4,862	1/4	6,096	1/4	7,331	1/4	
1/2	1,183	1/2	2,418	1/2	3,653	1/2	4,887	1/2	6,122	1/2	7,357	1/2	
3/4	1,209	3/4	2,444	3/4	3,678	3/4	4,913	3/4	6,148	3/4	7,383	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3074"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,614 GALLONS AT (74") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,235	24	2,469	36	3,704	48	4,939	60	6,174	72	7,408
1/4	26	1/4	1,260	1/4	2,495	1/4	3,730	1/4	4,965	1/4	6,199	1/4	7,434
1/2	51	1/2	1,286	1/2	2,521	1/2	3,756	1/2	4,990	1/2	6,225	1/2	7,460
3/4	77	3/4	1,312	3/4	2,547	3/4	3,781	3/4	5,016	3/4	6,251	3/4	7,485
1	103	13	1,338	25	2,572	37	3,807	49	5,042	61	6,276	73	7,511
1/4	129	1/4	1,363	1/4	2,598	1/4	3,833	1/4	5,067	1/4	6,302	1/4	7,537
1/2	154	1/2	1,389	1/2	2,624	1/2	3,858	1/2	5,093	1/2	6,328	1/2	7,563
3/4	180	3/4	1,415	3/4	2,649	3/4	3,884	3/4	5,119	3/4	6,354	3/4	7,588
2	206	14	1,440	26	2,675	38	3,910	50	5,145	62	6,379	74	7,614
1/4	232	1/4	1,466	1/4	2,701	1/4	3,936	1/4	5,170	1/4	6,405	1/4	
1/2	257	1/2	1,492	1/2	2,727	1/2	3,961	1/2	5,196	1/2	6,431	1/2	
3/4	283	3/4	1,517	3/4	2,752	3/4	3,987	3/4	5,222	3/4	6,456	3/4	
3	309	15	1,543	27	2,778	39	4,013	51	5,247	63	6,482	75	
1/4	334	1/4	1,569	1/4	2,804	1/4	4,039	1/4	5,273	1/4	6,508	1/4	
1/2	360	1/2	1,595	1/2	2,830	1/2	4,064	1/2	5,299	1/2	6,534	1/2	
3/4	386	3/4	1,621	3/4	2,855	3/4	4,090	3/4	5,325	3/4	6,559	3/4	
4	412	16	1,646	28	2,881	40	4,116	52	5,350	64	6,585	76	
1/4	437	1/4	1,672	1/4	2,907	1/4	4,141	1/4	5,376	1/4	6,611	1/4	
1/2	463	1/2	1,698	1/2	2,932	1/2	4,167	1/2	5,402	1/2	6,637	1/2	
3/4	489	3/4	1,723	3/4	2,958	3/4	4,193	3/4	5,428	3/4	6,662	3/4	
5	514	17	1,749	29	2,984	41	4,219	53	5,453	65	6,688	77	
1/4	540	1/4	1,775	1/4	3,010	1/4	4,244	1/4	5,479	1/4	6,714	1/4	
1/2	466	1/2	1,801	1/2	3,035	1/2	4,270	1/2	5,505	1/2	6,739	1/2	
3/4	492	3/4	1,726	3/4	3,061	3/4	4,296	3/4	5,530	3/4	6,765	3/4	
6	617	18	1,852	30	3,087	42	4,321	54	5,556	66	6,791	78	
1/4	643	1/4	1,878	1/4	3,112	1/4	4,347	1/4	5,582	1/4	6,817	1/4	
1/2	669	1/2	1,904	1/2	3,138	1/2	4,373	1/2	5,608	1/2	6,842	1/2	
3/4	695	3/4	1,929	3/4	3,164	3/4	4,399	3/4	5,633	3/4	6,868	3/4	
7	720	19	1,955	31	3,190	43	4,424	55	5,659	67	6,894	79	
1/4	746	1/4	1,981	1/4	3,215	1/4	4,450	1/4	5,685	1/4	6,919	1/4	
1/2	772	1/2	2,006	1/2	3,241	1/2	4,476	1/2	5,711	1/2	6,945	1/2	
3/4	797	3/4	2,032	3/4	3,267	3/4	4,502	3/4	5,736	3/4	6,971	3/4	
8	823	20	2,058	32	3,293	44	4,527	56	5,762	68	6,997	80	
1/4	849	1/4	2,084	1/4	3,318	1/4	4,553	1/4	5,788	1/4	7,022	1/4	
1/2	875	1/2	2,109	1/2	3,344	1/2	4,579	1/2	5,813	1/2	7,048	1/2	
3/4	900	3/4	2,135	3/4	3,370	3/4	4,604	3/4	5,839	3/4	7,074	3/4	
9	926	21	2,161	33	3,395	45	4,630	57	5,865	69	7,100	81	
1/4	952	1/4	2,186	1/4	3,421	1/4	4,656	1/4	5,891	1/4	7,125	1/4	
1/2	977	1/2	2,212	1/2	3,447	1/2	4,682	1/2	5,916	1/2	7,151	1/2	
3/4	1,003	3/4	2,238	3/4	3,473	3/4	4,707	3/4	5,942	3/4	7,177	3/4	
10	1,029	22	2,264	34	3,498	46	4,733	58	5,968	70	7,202	82	
1/4	1,055	1/4	2,289	1/4	3,524	1/4	4,759	1/4	5,993	1/4	7,228	1/4	
1/2	1,080	1/2	2,315	1/2	3,550	1/2	4,784	1/2	6,019	1/2	7,254	1/2	
3/4	1,106	3/4	2,341	3/4	3,575	3/4	4,810	3/4	6,045	3/4	7,280	3/4	
11	1,132	23	2,367	35	3,601	47	4,836	59	6,071	71	7,305	83	
1/4	1,158	1/4	2,392	1/4	3,627	1/4	4,862	1/4	6,096	1/4	7,331	1/4	
1/2	1,183	1/2	2,418	1/2	3,653	1/2	4,887	1/2	6,122	1/2	7,357	1/2	
3/4	1,209	3/4	2,444	3/4	3,678	3/4	4,913	3/4	6,148	3/4	7,383	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "HTCO 3075"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													
CAPACITY: 7,614 GALLONS AT (74") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,235	24	2,469	36	3,704	48	4,939	60	6,174	72	7,408
1/4	26	1/4	1,260	1/4	2,495	1/4	3,730	1/4	4,965	1/4	6,199	1/4	7,434
1/2	51	1/2	1,286	1/2	2,521	1/2	3,756	1/2	4,990	1/2	6,225	1/2	7,460
3/4	77	3/4	1,312	3/4	2,547	3/4	3,781	3/4	5,016	3/4	6,251	3/4	7,485
1	103	13	1,338	25	2,572	37	3,807	49	5,042	61	6,276	73	7,511
1/4	129	1/4	1,363	1/4	2,598	1/4	3,833	1/4	5,067	1/4	6,302	1/4	7,537
1/2	154	1/2	1,389	1/2	2,624	1/2	3,858	1/2	5,093	1/2	6,328	1/2	7,563
3/4	180	3/4	1,415	3/4	2,649	3/4	3,884	3/4	5,119	3/4	6,354	3/4	7,588
2	206	14	1,440	26	2,675	38	3,910	50	5,145	62	6,379	74	7,614
1/4	232	1/4	1,466	1/4	2,701	1/4	3,936	1/4	5,170	1/4	6,405	1/4	
1/2	257	1/2	1,492	1/2	2,727	1/2	3,961	1/2	5,196	1/2	6,431	1/2	
3/4	283	3/4	1,517	3/4	2,752	3/4	3,987	3/4	5,222	3/4	6,456	3/4	
3	309	15	1,543	27	2,778	39	4,013	51	5,247	63	6,482	75	
1/4	334	1/4	1,569	1/4	2,804	1/4	4,039	1/4	5,273	1/4	6,508	1/4	
1/2	360	1/2	1,595	1/2	2,830	1/2	4,064	1/2	5,299	1/2	6,534	1/2	
3/4	386	3/4	1,621	3/4	2,855	3/4	4,090	3/4	5,325	3/4	6,559	3/4	
4	412	16	1,646	28	2,881	40	4,116	52	5,350	64	6,585	76	
1/4	437	1/4	1,672	1/4	2,907	1/4	4,141	1/4	5,376	1/4	6,611	1/4	
1/2	463	1/2	1,698	1/2	2,932	1/2	4,167	1/2	5,402	1/2	6,637	1/2	
3/4	489	3/4	1,723	3/4	2,958	3/4	4,193	3/4	5,428	3/4	6,662	3/4	
5	514	17	1,749	29	2,984	41	4,219	53	5,453	65	6,688	77	
1/4	540	1/4	1,775	1/4	3,010	1/4	4,244	1/4	5,479	1/4	6,714	1/4	
1/2	466	1/2	1,801	1/2	3,035	1/2	4,270	1/2	5,505	1/2	6,739	1/2	
3/4	492	3/4	1,726	3/4	3,061	3/4	4,296	3/4	5,530	3/4	6,765	3/4	
6	617	18	1,852	30	3,087	42	4,321	54	5,556	66	6,791	78	
1/4	643	1/4	1,878	1/4	3,112	1/4	4,347	1/4	5,582	1/4	6,817	1/4	
1/2	669	1/2	1,904	1/2	3,138	1/2	4,373	1/2	5,608	1/2	6,842	1/2	
3/4	695	3/4	1,929	3/4	3,164	3/4	4,399	3/4	5,633	3/4	6,868	3/4	
7	720	19	1,955	31	3,190	43	4,424	55	5,659	67	6,894	79	
1/4	746	1/4	1,981	1/4	3,215	1/4	4,450	1/4	5,685	1/4	6,919	1/4	
1/2	772	1/2	2,006	1/2	3,241	1/2	4,476	1/2	5,711	1/2	6,945	1/2	
3/4	797	3/4	2,032	3/4	3,267	3/4	4,502	3/4	5,736	3/4	6,971	3/4	
8	823	20	2,058	32	3,293	44	4,527	56	5,762	68	6,997	80	
1/4	849	1/4	2,084	1/4	3,318	1/4	4,553	1/4	5,788	1/4	7,022	1/4	
1/2	875	1/2	2,109	1/2	3,344	1/2	4,579	1/2	5,813	1/2	7,048	1/2	
3/4	900	3/4	2,135	3/4	3,370	3/4	4,604	3/4	5,839	3/4	7,074	3/4	
9	926	21	2,161	33	3,395	45	4,630	57	5,865	69	7,100	81	
1/4	952	1/4	2,186	1/4	3,421	1/4	4,656	1/4	5,891	1/4	7,125	1/4	
1/2	977	1/2	2,212	1/2	3,447	1/2	4,682	1/2	5,916	1/2	7,151	1/2	
3/4	1,003	3/4	2,238	3/4	3,473	3/4	4,707	3/4	5,942	3/4	7,177	3/4	
10	1,029	22	2,264	34	3,498	46	4,733	58	5,968	70	7,202	82	
1/4	1,055	1/4	2,289	1/4	3,524	1/4	4,759	1/4	5,993	1/4	7,228	1/4	
1/2	1,080	1/2	2,315	1/2	3,550	1/2	4,784	1/2	6,019	1/2	7,254	1/2	
3/4	1,106	3/4	2,341	3/4	3,575	3/4	4,810	3/4	6,045	3/4	7,280	3/4	
11	1,132	23	2,367	35	3,601	47	4,836	59	6,071	71	7,305	83	
1/4	1,158	1/4	2,392	1/4	3,627	1/4	4,862	1/4	6,096	1/4	7,331	1/4	
1/2	1,183	1/2	2,418	1/2	3,653	1/2	4,887	1/2	6,122	1/2	7,357	1/2	
3/4	1,209	3/4	2,444	3/4	3,678	3/4	4,913	3/4	6,148	3/4	7,383	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 101"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 110"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 111"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 2801"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									1/4/2010
CAPACITY: 597.78 GALLONS AT (54") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	132.84	24	265.68	36	398.52	48	531.36
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.07	13	143.91	25	276.75	37	409.59	49	542.43
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	22.14	14	154.98	26	287.82	38	420.66	50	553.50
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	33.21	15	166.05	27	298.89	39	431.73	51	564.57
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	42.28	16	177.12	28	309.96	40	442.80	52	575.64
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	55.35	17	188.19	29	321.03	41	453.87	53	586.71
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	66.42	18	199.26	30	332.10	42	464.94	54	597.78
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	77.49	19	210.33	31	343.17	43	476.01	55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	88.56	20	221.40	32	354.24	44	487.08	56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	99.63	21	232.47	33	365.31	45	498.15	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	110.70	22	243.54	34	376.38	46	509.22	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	121.77	23	254.61	35	387.45	47	520.29	59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 2802"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									1/4/2010
CAPACITY: 597.78 GALLONS AT (54") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	132.84	24	265.68	36	398.52	48	531.36
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.07	13	143.91	25	276.75	37	409.59	49	542.43
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	22.14	14	154.98	26	287.82	38	420.66	50	553.50
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	33.21	15	166.05	27	298.89	39	431.73	51	564.57
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	42.28	16	177.12	28	309.96	40	442.80	52	575.64
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	55.35	17	188.19	29	321.03	41	453.87	53	586.71
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	66.42	18	199.26	30	332.10	42	464.94	54	597.78
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	77.49	19	210.33	31	343.17	43	476.01	55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	88.56	20	221.40	32	354.24	44	487.08	56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	99.63	21	232.47	33	365.31	45	498.15	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	110.70	22	243.54	34	376.38	46	509.22	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	121.77	23	254.61	35	387.45	47	520.29	59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 2803"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									1/4/2010
CAPACITY: 597.78 GALLONS AT (54") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	132.84	24	265.68	36	398.52	48	531.36
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.07	13	143.91	25	276.75	37	409.59	49	542.43
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	22.14	14	154.98	26	287.82	38	420.66	50	553.50
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	33.21	15	166.05	27	298.89	39	431.73	51	564.57
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	42.28	16	177.12	28	309.96	40	442.80	52	575.64
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	55.35	17	188.19	29	321.03	41	453.87	53	586.71
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	66.42	18	199.26	30	332.10	42	464.94	54	597.78
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	77.49	19	210.33	31	343.17	43	476.01	55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	88.56	20	221.40	32	354.24	44	487.08	56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	99.63	21	232.47	33	365.31	45	498.15	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	110.70	22	243.54	34	376.38	46	509.22	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	121.77	23	254.61	35	387.45	47	520.29	59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 2804"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									1/4/2010
CAPACITY: 597.78 GALLONS AT (54") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	132.84	24	265.68	36	398.52	48	531.36
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.07	13	143.91	25	276.75	37	409.59	49	542.43
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	22.14	14	154.98	26	287.82	38	420.66	50	553.50
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	33.21	15	166.05	27	298.89	39	431.73	51	564.57
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	42.28	16	177.12	28	309.96	40	442.80	52	575.64
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	55.35	17	188.19	29	321.03	41	453.87	53	586.71
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	66.42	18	199.26	30	332.10	42	464.94	54	597.78
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	77.49	19	210.33	31	343.17	43	476.01	55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	88.56	20	221.40	32	354.24	44	487.08	56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	99.63	21	232.47	33	365.31	45	498.15	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	110.70	22	243.54	34	376.38	46	509.22	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	121.77	23	254.61	35	387.45	47	520.29	59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 2805"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									1/4/2010
CAPACITY: 597.78 GALLONS AT (54") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	132.84	24	265.68	36	398.52	48	531.36
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.07	13	143.91	25	276.75	37	409.59	49	542.43
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	22.14	14	154.98	26	287.82	38	420.66	50	553.50
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	33.21	15	166.05	27	298.89	39	431.73	51	564.57
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	42.28	16	177.12	28	309.96	40	442.80	52	575.64
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	55.35	17	188.19	29	321.03	41	453.87	53	586.71
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	66.42	18	199.26	30	332.10	42	464.94	54	597.78
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	77.49	19	210.33	31	343.17	43	476.01	55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	88.56	20	221.40	32	354.24	44	487.08	56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	99.63	21	232.47	33	365.31	45	498.15	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	110.70	22	243.54	34	376.38	46	509.22	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	121.77	23	254.61	35	387.45	47	520.29	59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 2806"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									
1/4/2010									
CAPACITY: 597.78 GALLONS AT (54") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	132.84	24	265.68	36	398.52	48	531.36
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.07	13	143.91	25	276.75	37	409.59	49	542.43
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	22.14	14	154.98	26	287.82	38	420.66	50	553.50
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	33.21	15	166.05	27	298.89	39	431.73	51	564.57
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	42.28	16	177.12	28	309.96	40	442.80	52	575.64
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	55.35	17	188.19	29	321.03	41	453.87	53	586.71
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	66.42	18	199.26	30	332.10	42	464.94	54	597.78
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	77.49	19	210.33	31	343.17	43	476.01	55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	88.56	20	221.40	32	354.24	44	487.08	56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	99.63	21	232.47	33	365.31	45	498.15	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	110.70	22	243.54	34	376.38	46	509.22	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	121.77	23	254.61	35	387.45	47	520.29	59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 2807"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									1/4/2010
CAPACITY: 597.78 GALLONS AT (54") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	132.84	24	265.68	36	398.52	48	531.36
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.07	13	143.91	25	276.75	37	409.59	49	542.43
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	22.14	14	154.98	26	287.82	38	420.66	50	553.50
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	33.21	15	166.05	27	298.89	39	431.73	51	564.57
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	42.28	16	177.12	28	309.96	40	442.80	52	575.64
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	55.35	17	188.19	29	321.03	41	453.87	53	586.71
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	66.42	18	199.26	30	332.10	42	464.94	54	597.78
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	77.49	19	210.33	31	343.17	43	476.01	55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	88.56	20	221.40	32	354.24	44	487.08	56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	99.63	21	232.47	33	365.31	45	498.15	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	110.70	22	243.54	34	376.38	46	509.22	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	121.77	23	254.61	35	387.45	47	520.29	59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 2808"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									
CAPACITY: 597.78 GALLONS AT (54") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	132.84	24	265.68	36	398.52	48	531.36
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.07	13	143.91	25	276.75	37	409.59	49	542.43
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	22.14	14	154.98	26	287.82	38	420.66	50	553.50
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	33.21	15	166.05	27	298.89	39	431.73	51	564.57
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	42.28	16	177.12	28	309.96	40	442.80	52	575.64
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	55.35	17	188.19	29	321.03	41	453.87	53	586.71
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	66.42	18	199.26	30	332.10	42	464.94	54	597.78
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	77.49	19	210.33	31	343.17	43	476.01	55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	88.56	20	221.40	32	354.24	44	487.08	56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	99.63	21	232.47	33	365.31	45	498.15	57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	110.70	22	243.54	34	376.38	46	509.22	58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	121.77	23	254.61	35	387.45	47	520.29	59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3018"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									
CAPACITY: 7,383 GALLONS AT (57") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,554	24	3,108	36	4,663	48	6,217
1/4	32	1/4	1,587	1/4	3,141	1/4	4,695	1/4	6,249
1/2	65	1/2	1,619	1/2	3,173	1/2	4,727	1/2	6,282
3/4	97	3/4	1,651	3/4	3,206	3/4	4,760	3/4	6,314
1	130	13	1,684	25	3,238	37	4,792	49	6,346
1/4	162	1/4	1,716	1/4	3,270	1/4	4,825	1/4	6,379
1/2	194	1/2	1,749	1/2	3,303	1/2	4,857	1/2	6,411
3/4	227	3/4	1,781	3/4	3,335	3/4	4,889	3/4	6,444
2	259	14	1,813	26	3,368	38	4,922	50	6,476
1/4	291	1/4	1,846	1/4	3,400	1/4	4,954	1/4	6,508
1/2	324	1/2	1,878	1/2	3,432	1/2	4,987	1/2	6,541
3/4	356	3/4	1,910	3/4	3,465	3/4	5,019	3/4	6,573
3	389	15	1,943	27	3,497	39	5,051	51	6,606
1/4	421	1/4	1,975	1/4	3,529	1/4	5,084	1/4	6,638
1/2	453	1/2	2,008	1/2	3,562	1/2	5,116	1/2	6,670
3/4	486	3/4	2,040	3/4	3,594	3/4	5,148	3/4	6,703
4	518	16	2,072	28	3,627	40	5,181	52	6,735
1/4	550	1/4	2,105	1/4	3,659	1/4	5,213	1/4	6,767
1/2	583	1/2	2,137	1/2	3,691	1/2	5,246	1/2	6,800
3/4	615	3/4	2,169	3/4	3,724	3/4	5,278	3/4	6,832
5	648	17	2,202	29	3,756	41	5,310	53	6,865
1/4	680	1/4	2,234	1/4	3,788	1/4	5,343	1/4	6,897
1/2	712	1/2	2,267	1/2	3,821	1/2	5,375	1/2	6,929
3/4	745	3/4	2,299	3/4	3,853	3/4	5,407	3/4	6,962
6	777	18	2,331	30	3,886	42	5,440	54	6,994
1/4	810	1/4	2,364	1/4	3,918	1/4	5,472	1/4	7,026
1/2	842	1/2	2,396	1/2	3,950	1/2	5,505	1/2	7,059
3/4	874	3/4	2,429	3/4	3,983	3/4	5,537	3/4	7,091
7	907	19	2,461	31	4,015	43	5,569	55	7,124
1/4	939	1/4	2,493	1/4	4,048	1/4	5,602	1/4	7,156
1/2	971	1/2	2,526	1/2	4,080	1/2	5,634	1/2	7,188
3/4	1,004	3/4	2,558	3/4	4,112	3/4	5,667	3/4	7,221
8	1,036	20	2,590	32	4,145	44	5,699	56	7,253
1/4	1,069	1/4	2,623	1/4	4,177	1/4	5,731	1/4	7,286
1/2	1,101	1/2	2,655	1/2	4,209	1/2	5,764	1/2	7,318
3/4	1,133	3/4	2,688	3/4	4,242	3/4	5,796	3/4	7,350
9	1,166	21	2,720	33	4,274	45	5,828	57	7,383
1/4	1,198	1/4	2,752	1/4	4,307	1/4	5,861	1/4	
1/2	1,230	1/2	2,785	1/2	4,339	1/2	5,893	1/2	
3/4	1,263	3/4	2,817	3/4	4,371	3/4	5,926	3/4	
10	1,295	22	2,849	34	4,404	46	5,958	58	
1/4	1,328	1/4	2,882	1/4	4,436	1/4	5,990	1/4	
1/2	1,360	1/2	2,914	1/2	4,468	1/2	6,023	1/2	
3/4	1,392	3/4	2,947	3/4	4,501	3/4	6,055	3/4	
11	1,425	23	2,979	35	4,533	47	6,087	59	
1/4	1,457	1/4	3,011	1/4	4,566	1/4	6,120	1/4	
1/2	1,489	1/2	3,044	1/2	4,598	1/2	6,152	1/2	
3/4	1,522	3/4	3,076	3/4	4,630	3/4	6,185	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3019"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									
CAPACITY: 7,383 GALLONS AT (57") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,554	24	3,108	36	4,663	48	6,217
1/4	32	1/4	1,587	1/4	3,141	1/4	4,695	1/4	6,249
1/2	65	1/2	1,619	1/2	3,173	1/2	4,727	1/2	6,282
3/4	97	3/4	1,651	3/4	3,206	3/4	4,760	3/4	6,314
1	130	13	1,684	25	3,238	37	4,792	49	6,346
1/4	162	1/4	1,716	1/4	3,270	1/4	4,825	1/4	6,379
1/2	194	1/2	1,749	1/2	3,303	1/2	4,857	1/2	6,411
3/4	227	3/4	1,781	3/4	3,335	3/4	4,889	3/4	6,444
2	259	14	1,813	26	3,368	38	4,922	50	6,476
1/4	291	1/4	1,846	1/4	3,400	1/4	4,954	1/4	6,508
1/2	324	1/2	1,878	1/2	3,432	1/2	4,987	1/2	6,541
3/4	356	3/4	1,910	3/4	3,465	3/4	5,019	3/4	6,573
3	389	15	1,943	27	3,497	39	5,051	51	6,606
1/4	421	1/4	1,975	1/4	3,529	1/4	5,084	1/4	6,638
1/2	453	1/2	2,008	1/2	3,562	1/2	5,116	1/2	6,670
3/4	486	3/4	2,040	3/4	3,594	3/4	5,148	3/4	6,703
4	518	16	2,072	28	3,627	40	5,181	52	6,735
1/4	550	1/4	2,105	1/4	3,659	1/4	5,213	1/4	6,767
1/2	583	1/2	2,137	1/2	3,691	1/2	5,246	1/2	6,800
3/4	615	3/4	2,169	3/4	3,724	3/4	5,278	3/4	6,832
5	648	17	2,202	29	3,756	41	5,310	53	6,865
1/4	680	1/4	2,234	1/4	3,788	1/4	5,343	1/4	6,897
1/2	712	1/2	2,267	1/2	3,821	1/2	5,375	1/2	6,929
3/4	745	3/4	2,299	3/4	3,853	3/4	5,407	3/4	6,962
6	777	18	2,331	30	3,886	42	5,440	54	6,994
1/4	810	1/4	2,364	1/4	3,918	1/4	5,472	1/4	7,026
1/2	842	1/2	2,396	1/2	3,950	1/2	5,505	1/2	7,059
3/4	874	3/4	2,429	3/4	3,983	3/4	5,537	3/4	7,091
7	907	19	2,461	31	4,015	43	5,569	55	7,124
1/4	939	1/4	2,493	1/4	4,048	1/4	5,602	1/4	7,156
1/2	971	1/2	2,526	1/2	4,080	1/2	5,634	1/2	7,188
3/4	1,004	3/4	2,558	3/4	4,112	3/4	5,667	3/4	7,221
8	1,036	20	2,590	32	4,145	44	5,699	56	7,253
1/4	1,069	1/4	2,623	1/4	4,177	1/4	5,731	1/4	7,286
1/2	1,101	1/2	2,655	1/2	4,209	1/2	5,764	1/2	7,318
3/4	1,133	3/4	2,688	3/4	4,242	3/4	5,796	3/4	7,350
9	1,166	21	2,720	33	4,274	45	5,828	57	7,383
1/4	1,198	1/4	2,752	1/4	4,307	1/4	5,861	1/4	
1/2	1,230	1/2	2,785	1/2	4,339	1/2	5,893	1/2	
3/4	1,263	3/4	2,817	3/4	4,371	3/4	5,926	3/4	
10	1,295	22	2,849	34	4,404	46	5,958	58	
1/4	1,328	1/4	2,882	1/4	4,436	1/4	5,990	1/4	
1/2	1,360	1/2	2,914	1/2	4,468	1/2	6,023	1/2	
3/4	1,392	3/4	2,947	3/4	4,501	3/4	6,055	3/4	
11	1,425	23	2,979	35	4,533	47	6,087	59	
1/4	1,457	1/4	3,011	1/4	4,566	1/4	6,120	1/4	
1/2	1,489	1/2	3,044	1/2	4,598	1/2	6,152	1/2	
3/4	1,522	3/4	3,076	3/4	4,630	3/4	6,185	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3020"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3021"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3022"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3023"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3024"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3025"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3028"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,499.9 GALLONS AT (74") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	1,216.20	24	2,432.40	36	3,648.60	48	4,864.80	60	6,081.00	72	7,297.20
1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	101.35	13	1,317.55	25	2,533.75	37	3,749.95	49	4,966.15	61	6,182.35	73	7,398.55
1/4		1/4		1/4		1/4		1/4		25.25		25.25	
1/2		1/2		1/2		1/2		1/2		25 1/2		25 1/2	
3/4		3/4		3/4		3/4		3/4		25 3/4		25 3/4	
2	202.70	14	1,418.90	26	2,635.10	38	3,851.30	50	5,067.50	62	6,283.70	74	7,599.90
1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	304.05	15	1,520.25	27	2,736.45	39	3,952.65	51	5,168.85	63	6,385.05	75	
1/4		1/4		1/4		1/4		1/4		25.87		25.87	
1/2		1/2		1/2		1/2		1/2		26		26	
3/4		3/4		3/4		3/4		3/4		26 1/9		26 1/9	
4	405.40	16	1,621.60	28	2,837.80	40	4,054.00	52	5,270.20	64	6,486.40	76	
1/4		1/4		1/4		1/4		1/4		26.34		26.34	
1/2		1/2		1/2		1/2		1/2		26.46		26.46	
3/4		3/4		3/4		3/4		3/4		26 4/7		26 4/7	
5	506.75	17	1,722.95	29	2,939.15	41	4,155.35	53	5,371.55	65	6,587.75	77	
1/4		1/4		1/4		1/4		1/4		26 4/5		26 4/5	
1/2		1/2		1/2		1/2		1/2		27		27	
3/4		3/4		3/4		3/4		3/4		27		27	
6	608.10	18	1,824.30	30	3,040.50	42	4,256.70	54	5,472.90	66	6,689.10	78	
1/4		1/4		1/4		1/4		1/4		27.28		27.28	
1/2		1/2		1/2		1/2		1/2		27.4		27.4	
3/4		3/4		3/4		3/4		3/4		27 1/2		27 1/2	
7	709.45	19	1,925.65	31	3,141.85	43	4,358.05	55	5,574.25	67	6,790.45	79	
1/4		1/4		1/4		1/4		1/4		27 3/4		27 3/4	
1/2		1/2		1/2		1/2		1/2		27.87		27.87	
3/4		3/4		3/4		3/4		3/4		27.99		27.99	
8	810.80	20	2,027.00	32	3,243.20	44	4,459.40	56	5,675.60	68	6,891.80	80	
1/4		1/4		1/4		1/4		1/4		28 2/9		28 2/9	
1/2		1/2		1/2		1/2		1/2		28 1/3		28 1/3	
3/4		3/4		3/4		3/4		3/4		28 1/2		28 1/2	
9	912.15	21	2,128.35	33	3,344.55	45	4,560.75	57	5,776.95	69	6,993.15	81	
1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	1,013.50	22	2,229.70	34	3,445.90	46	4,662.10	58	5,878.30	70	7,094.50	82	
1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	1,114.85	23	2,331.05	35	3,547.25	47	4,767.45	59	5,979.65	71	7,195.85	83	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3029"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,499.9 GALLONS AT (74") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	1,216.20	24	2,432.40	36	3,648.60	48	4,864.80	60	6,081.00	72	7,297.20
1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	101.35	13	1,317.55	25	2,533.75	37	3,749.95	49	4,966.15	61	6,182.35	73	7,398.55
1/4		1/4		1/4		1/4		1/4		25.25		25.25	
1/2		1/2		1/2		1/2		1/2		25 1/2		25 1/2	
3/4		3/4		3/4		3/4		3/4		25 3/4		25 3/4	
2	202.70	14	1,418.90	26	2,635.10	38	3,851.30	50	5,067.50	62	6,283.70	74	7,599.90
1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	304.05	15	1,520.25	27	2,736.45	39	3,952.65	51	5,168.85	63	6,385.05	75	
1/4		1/4		1/4		1/4		1/4		25.87		25.87	
1/2		1/2		1/2		1/2		1/2		26		26	
3/4		3/4		3/4		3/4		3/4		26 1/9		26 1/9	
4	405.40	16	1,621.60	28	2,837.80	40	4,054.00	52	5,270.20	64	6,486.40	76	
1/4		1/4		1/4		1/4		1/4		26.34		26.34	
1/2		1/2		1/2		1/2		1/2		26.46		26.46	
3/4		3/4		3/4		3/4		3/4		26 4/7		26 4/7	
5	506.75	17	1,722.95	29	2,939.15	41	4,155.35	53	5,371.55	65	6,587.75	77	
1/4		1/4		1/4		1/4		1/4		26 4/5		26 4/5	
1/2		1/2		1/2		1/2		1/2		27		27	
3/4		3/4		3/4		3/4		3/4		27		27	
6	608.10	18	1,824.30	30	3,040.50	42	4,256.70	54	5,472.90	66	6,689.10	78	
1/4		1/4		1/4		1/4		1/4		27.28		27.28	
1/2		1/2		1/2		1/2		1/2		27.4		27.4	
3/4		3/4		3/4		3/4		3/4		27 1/2		27 1/2	
7	709.45	19	1,925.65	31	3,141.85	43	4,358.05	55	5,574.25	67	6,790.45	79	
1/4		1/4		1/4		1/4		1/4		27 3/4		27 3/4	
1/2		1/2		1/2		1/2		1/2		27.87		27.87	
3/4		3/4		3/4		3/4		3/4		27.99		27.99	
8	810.80	20	2,027.00	32	3,243.20	44	4,459.40	56	5,675.60	68	6,891.80	80	
1/4		1/4		1/4		1/4		1/4		28 2/9		28 2/9	
1/2		1/2		1/2		1/2		1/2		28 1/3		28 1/3	
3/4		3/4		3/4		3/4		3/4		28 1/2		28 1/2	
9	912.15	21	2,128.35	33	3,344.55	45	4,560.75	57	5,776.95	69	6,993.15	81	
1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	1,013.50	22	2,229.70	34	3,445.90	46	4,662.10	58	5,878.30	70	7,094.50	82	
1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	1,114.85	23	2,331.05	35	3,547.25	47	4,767.45	59	5,979.65	71	7,195.85	83	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3030"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3031"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3032"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3033"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3034"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3035"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3036"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3037"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3038"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3039"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 304"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 527 GALLONS AT (42.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	148.80	24	297.60	36	446.40	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.40	13	161.20	25	310.00	37	458.80	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.80	14	173.60	26	322.40	38	471.20	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	37.20	15	186.00	27	334.80	39	483.60	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.60	16	198.40	28	347.20	40	496.00	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	62.00	17	210.80	29	359.60	41	508.40	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	74.40	18	223.20	30	372.00	42	520.80	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	527.00	1/2	
3/4		3/4		3/4		3/4		3/4	
7	86.80	19	235.60	31	384.40	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	99.20	20	248.00	32	396.80	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	111.60	21	260.40	33	409.20	45		57	
1/4		1/4	263.50	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	124.00	22	272.80	34	421.60	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	136.40	23	285.20	35	434.00	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3040"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3041"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3042"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3043"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3044"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3045"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3046"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3047"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3048"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3049"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/22/2009
CAPACITY: 473.03 GALLONS AT (41") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	140.02	24	280.32	36	420.48	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	11.68	13	151.7	25	292	37	432.16	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	23.36	14	163.38	26	303.68	38	443.84	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	35.04	15	175.06	27	315.36	39	455.52	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	46.72	16	186.74	28	327.04	40	467.2	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	58.4	17	198.42	29	338.72	41	473.04	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	69.94	18	210.1	30	350.4	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	81.62	19	221.78	31	362.08	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	93.3	20	233.46	32	373.76	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2	236.38	1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	104.98	21	245.28	33	385.44	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	116.66	22	259.96	34	397.12	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	128.34	23	268.64	35	408.08	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3050"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,506 GALLONS AT (57") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602	60		72	
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633	1/4		1/4	
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664	1/2		1/2	
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695	3/4		3/4	
1	64	13	1,432	25	3,210	37	5,060	49	6,725	61		73	
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755	1/4		1/4	
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785	1/2		1/2	
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815	3/4		3/4	
2	144	14	1,571	26	3,365	38	5,210	50	6,845	62		74	
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874	1/4		1/4	
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903	1/2		1/2	
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932	3/4		3/4	
3	234	15	1,711	27	3,520	39	5,359	51	6,960	63		75	
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988	1/4		1/4	
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016	1/2		1/2	
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044	3/4		3/4	
4	332	16	1,855	28	3,675	40	5,506	52	7,070	64		76	
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097	1/4		1/4	
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123	1/2		1/2	
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149	3/4		3/4	
5	436	17	2,001	29	3,831	41	5,651	53	7,175	65		77	
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200	1/4		1/4	
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224	1/2		1/2	
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248	3/4		3/4	
6	546	18	2,147	30	3,986	42	5,794	54	7,272	66		78	
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295	1/4		1/4	
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318	1/2		1/2	
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340	3/4		3/4	
7	662	19	2,296	31	4,141	43	5,935	55	7,362	67		79	
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383	1/4		1/4	
1/2	720	1/2	2,370	1/2	4,218	1/2	6,006	1/2	7,403	1/2		1/2	
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423	3/4		3/4	
8	781	20	2,446	32	4,296	44	6,074	56	7,442	68		80	
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458	1/4		1/4	
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474	1/2		1/2	
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490	3/4		3/4	
9	904	21	2,597	33	4,451	45	6,210	57	7,506	69		81	
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4		1/4		1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2		1/2		1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4		3/4		3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58		70		82	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4		1/4		1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2		1/2		1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4		3/4		3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59		71		83	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4		1/4		1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2		1/2		1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3051"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,506 GALLONS AT (57") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602	60		72	
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633	1/4		1/4	
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664	1/2		1/2	
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695	3/4		3/4	
1	64	13	1,432	25	3,210	37	5,060	49	6,725	61		73	
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755	1/4		1/4	
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785	1/2		1/2	
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815	3/4		3/4	
2	144	14	1,571	26	3,365	38	5,210	50	6,845	62		74	
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874	1/4		1/4	
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903	1/2		1/2	
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932	3/4		3/4	
3	234	15	1,711	27	3,520	39	5,359	51	6,960	63		75	
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988	1/4		1/4	
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016	1/2		1/2	
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044	3/4		3/4	
4	332	16	1,855	28	3,675	40	5,506	52	7,070	64		76	
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097	1/4		1/4	
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123	1/2		1/2	
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149	3/4		3/4	
5	436	17	2,001	29	3,831	41	5,651	53	7,175	65		77	
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200	1/4		1/4	
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224	1/2		1/2	
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248	3/4		3/4	
6	546	18	2,147	30	3,986	42	5,794	54	7,272	66		78	
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295	1/4		1/4	
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318	1/2		1/2	
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340	3/4		3/4	
7	662	19	2,296	31	4,141	43	5,935	55	7,362	67		79	
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383	1/4		1/4	
1/2	720	1/2	2,370	1/2	4,218	1/2	6,006	1/2	7,403	1/2		1/2	
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423	3/4		3/4	
8	781	20	2,446	32	4,296	44	6,074	56	7,442	68		80	
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458	1/4		1/4	
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474	1/2		1/2	
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490	3/4		3/4	
9	904	21	2,597	33	4,451	45	6,210	57	7,506	69		81	
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4		1/4		1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2		1/2		1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4		3/4		3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58		70		82	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4		1/4		1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2		1/2		1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4		3/4		3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59		71		83	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4		1/4		1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2		1/2		1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3052"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,506 GALLONS AT (57") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602	60		72	
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633	1/4		1/4	
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664	1/2		1/2	
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695	3/4		3/4	
1	64	13	1,432	25	3,210	37	5,060	49	6,725	61		73	
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755	1/4		1/4	
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785	1/2		1/2	
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815	3/4		3/4	
2	144	14	1,571	26	3,365	38	5,210	50	6,845	62		74	
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874	1/4		1/4	
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903	1/2		1/2	
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932	3/4		3/4	
3	234	15	1,711	27	3,520	39	5,359	51	6,960	63		75	
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988	1/4		1/4	
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016	1/2		1/2	
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044	3/4		3/4	
4	332	16	1,855	28	3,675	40	5,506	52	7,070	64		76	
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097	1/4		1/4	
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123	1/2		1/2	
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149	3/4		3/4	
5	436	17	2,001	29	3,831	41	5,651	53	7,175	65		77	
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200	1/4		1/4	
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224	1/2		1/2	
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248	3/4		3/4	
6	546	18	2,147	30	3,986	42	5,794	54	7,272	66		78	
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295	1/4		1/4	
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318	1/2		1/2	
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340	3/4		3/4	
7	662	19	2,296	31	4,141	43	5,935	55	7,362	67		79	
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383	1/4		1/4	
1/2	720	1/2	2,370	1/2	4,218	1/2	6,006	1/2	7,403	1/2		1/2	
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423	3/4		3/4	
8	781	20	2,446	32	4,296	44	6,074	56	7,442	68		80	
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458	1/4		1/4	
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474	1/2		1/2	
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490	3/4		3/4	
9	904	21	2,597	33	4,451	45	6,210	57	7,506	69		81	
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4		1/4		1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2		1/2		1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4		3/4		3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58		70		82	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4		1/4		1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2		1/2		1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4		3/4		3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59		71		83	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4		1/4		1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2		1/2		1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3053"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,506 GALLONS AT (57") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602	60		72	
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633	1/4		1/4	
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664	1/2		1/2	
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695	3/4		3/4	
1	64	13	1,432	25	3,210	37	5,060	49	6,725	61		73	
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755	1/4		1/4	
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785	1/2		1/2	
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815	3/4		3/4	
2	144	14	1,571	26	3,365	38	5,210	50	6,845	62		74	
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874	1/4		1/4	
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903	1/2		1/2	
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932	3/4		3/4	
3	234	15	1,711	27	3,520	39	5,359	51	6,960	63		75	
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988	1/4		1/4	
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016	1/2		1/2	
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044	3/4		3/4	
4	332	16	1,855	28	3,675	40	5,506	52	7,070	64		76	
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097	1/4		1/4	
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123	1/2		1/2	
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149	3/4		3/4	
5	436	17	2,001	29	3,831	41	5,651	53	7,175	65		77	
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200	1/4		1/4	
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224	1/2		1/2	
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248	3/4		3/4	
6	546	18	2,147	30	3,986	42	5,794	54	7,272	66		78	
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295	1/4		1/4	
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318	1/2		1/2	
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340	3/4		3/4	
7	662	19	2,296	31	4,141	43	5,935	55	7,362	67		79	
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383	1/4		1/4	
1/2	720	1/2	2,370	1/2	4,218	1/2	6,006	1/2	7,403	1/2		1/2	
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423	3/4		3/4	
8	781	20	2,446	32	4,296	44	6,074	56	7,442	68		80	
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458	1/4		1/4	
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474	1/2		1/2	
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490	3/4		3/4	
9	904	21	2,597	33	4,451	45	6,210	57	7,506	69		81	
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4		1/4		1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2		1/2		1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4		3/4		3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58		70		82	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4		1/4		1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2		1/2		1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4		3/4		3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59		71		83	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4		1/4		1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2		1/2		1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3054"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3055"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3056"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,506 GALLONS AT (57") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602	60		72	
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633	1/4		1/4	
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664	1/2		1/2	
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695	3/4		3/4	
1	64	13	1,432	25	3,210	37	5,060	49	6,725	61		73	
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755	1/4		1/4	
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785	1/2		1/2	
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815	3/4		3/4	
2	144	14	1,571	26	3,365	38	5,210	50	6,845	62		74	
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874	1/4		1/4	
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903	1/2		1/2	
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932	3/4		3/4	
3	234	15	1,711	27	3,520	39	5,359	51	6,960	63		75	
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988	1/4		1/4	
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016	1/2		1/2	
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044	3/4		3/4	
4	332	16	1,855	28	3,675	40	5,506	52	7,070	64		76	
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097	1/4		1/4	
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123	1/2		1/2	
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149	3/4		3/4	
5	436	17	2,001	29	3,831	41	5,651	53	7,175	65		77	
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200	1/4		1/4	
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224	1/2		1/2	
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248	3/4		3/4	
6	546	18	2,147	30	3,986	42	5,794	54	7,272	66		78	
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295	1/4		1/4	
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318	1/2		1/2	
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340	3/4		3/4	
7	662	19	2,296	31	4,141	43	5,935	55	7,362	67		79	
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383	1/4		1/4	
1/2	720	1/2	2,370	1/2	4,218	1/2	6,006	1/2	7,403	1/2		1/2	
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423	3/4		3/4	
8	781	20	2,446	32	4,296	44	6,074	56	7,442	68		80	
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458	1/4		1/4	
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474	1/2		1/2	
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490	3/4		3/4	
9	904	21	2,597	33	4,451	45	6,210	57	7,506	69		81	
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4		1/4		1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2		1/2		1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4		3/4		3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58		70		82	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4		1/4		1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2		1/2		1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4		3/4		3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59		71		83	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4		1/4		1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2		1/2		1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3057"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK													1/4/2010
CAPACITY: 7,506 GALLONS AT (57") IN.													
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0	12	1,296	24	3,055	36	4,909	48	6,602	60		72	
1/4	16	1/4	1,329	1/4	3,093	1/4	4,947	1/4	6,633	1/4		1/4	
1/2	32	1/2	1,363	1/2	3,132	1/2	4,985	1/2	6,664	1/2		1/2	
3/4	48	3/4	1,398	3/4	3,171	3/4	5,022	3/4	6,695	3/4		3/4	
1	64	13	1,432	25	3,210	37	5,060	49	6,725	61		73	
1/4	84	1/4	1,466	1/4	3,249	1/4	5,098	1/4	6,755	1/4		1/4	
1/2	104	1/2	1,501	1/2	3,288	1/2	5,136	1/2	6,785	1/2		1/2	
3/4	124	3/4	1,536	3/4	3,326	3/4	5,173	3/4	6,815	3/4		3/4	
2	144	14	1,571	26	3,365	38	5,210	50	6,845	62		74	
1/4	166	1/4	1,606	1/4	3,404	1/4	5,248	1/4	6,874	1/4		1/4	
1/2	188	1/2	1,641	1/2	3,443	1/2	5,285	1/2	6,903	1/2		1/2	
3/4	211	3/4	1,676	3/4	3,481	3/4	5,322	3/4	6,932	3/4		3/4	
3	234	15	1,711	27	3,520	39	5,359	51	6,960	63		75	
1/4	258	1/4	1,747	1/4	3,559	1/4	5,396	1/4	6,988	1/4		1/4	
1/2	282	1/2	1,783	1/2	3,598	1/2	5,433	1/2	7,016	1/2		1/2	
3/4	307	3/4	1,819	3/4	3,636	3/4	5,469	3/4	7,044	3/4		3/4	
4	332	16	1,855	28	3,675	40	5,506	52	7,070	64		76	
1/4	358	1/4	1,891	1/4	3,714	1/4	5,543	1/4	7,097	1/4		1/4	
1/2	384	1/2	1,927	1/2	3,753	1/2	5,579	1/2	7,123	1/2		1/2	
3/4	410	3/4	1,964	3/4	3,792	3/4	5,615	3/4	7,149	3/4		3/4	
5	436	17	2,001	29	3,831	41	5,651	53	7,175	65		77	
1/4	463	1/4	2,037	1/4	3,869	1/4	5,687	1/4	7,200	1/4		1/4	
1/2	491	1/2	2,073	1/2	3,908	1/2	5,723	1/2	7,224	1/2		1/2	
3/4	519	3/4	2,110	3/4	3,947	3/4	5,758	3/4	7,248	3/4		3/4	
6	546	18	2,147	30	3,986	42	5,794	54	7,272	66		78	
1/4	574	1/4	2,184	1/4	4,024	1/4	5,830	1/4	7,295	1/4		1/4	
1/2	603	1/2	2,221	1/2	4,063	1/2	5,865	1/2	7,318	1/2		1/2	
3/4	632	3/4	2,259	3/4	4,102	3/4	5,900	3/4	7,340	3/4		3/4	
7	662	19	2,296	31	4,141	43	5,935	55	7,362	67		79	
1/4	691	1/4	2,333	1/4	4,179	1/4	5,970	1/4	7,383	1/4		1/4	
1/2	720	1/2	2,370	1/2	4,218	1/2	6,006	1/2	7,403	1/2		1/2	
3/4	750	3/4	2,408	3/4	4,257	3/4	6,040	3/4	7,423	3/4		3/4	
8	781	20	2,446	32	4,296	44	6,074	56	7,442	68		80	
1/4	811	1/4	2,483	1/4	4,334	1/4	6,108	1/4	7,458	1/4		1/4	
1/2	842	1/2	2,521	1/2	4,373	1/2	6,142	1/2	7,474	1/2		1/2	
3/4	873	3/4	2,559	3/4	4,412	3/4	6,176	3/4	7,490	3/4		3/4	
9	904	21	2,597	33	4,451	45	6,210	57	7,506	69		81	
1/4	935	1/4	2,635	1/4	4,490	1/4	6,244	1/4		1/4		1/4	
1/2	967	1/2	2,673	1/2	4,528	1/2	6,278	1/2		1/2		1/2	
3/4	999	3/4	2,711	3/4	4,566	3/4	6,311	3/4		3/4		3/4	
10	1,031	22	2,749	34	4,604	46	6,344	58		70		82	
1/4	1,063	1/4	2,787	1/4	4,642	1/4	6,377	1/4		1/4		1/4	
1/2	1,096	1/2	2,825	1/2	4,680	1/2	6,410	1/2		1/2		1/2	
3/4	1,129	3/4	2,864	3/4	4,719	3/4	6,443	3/4		3/4		3/4	
11	1,162	23	2,903	35	4,757	47	6,475	59		71		83	
1/4	1,195	1/4	2,941	1/4	4,795	1/4	6,507	1/4		1/4		1/4	
1/2	1,228	1/2	2,979	1/2	4,833	1/2	6,539	1/2		1/2		1/2	
3/4	1,262	3/4	3,017	3/4	4,871	3/4	6,571	3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3058"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 3059"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 514.92 GALLONS AT (42") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	147.12	24	294.24	36	441.36	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	12.26	13	159.38	25	306.50	37	453.62	49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	24.52	14	171.64	26	318.76	38	465.88	50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	36.78	15	183.90	27	331.02	39	478.14	51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	49.04	16	196.16	28	343.28	40	490.40	52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	61.30	17	208.42	29	355.54	41	502.66	53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	73.56	18	220.68	30	367.80	42	514.92	54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	85.82	19	232.94	31	380.06	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	98.08	20	245.20	32	392.32	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	110.34	21	257.46	33	404.58	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	122.60	22	269.72	34	416.84	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	134.86	23	281.98	35	429.10	47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 501"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK										1/4/2010
CAPACITY: 219.9 GALLONS AT (30") IN.										
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	
0	0.00	12	87.96	24	175.92	36		48		
1	7.33	13	95.29	25	183.25	37		49		
2	14.66	14	102.62	26	190.58	38		50		
3	21.99	15	109.95	27	197.91	39		51		
4	29.32	16	117.28	28	205.24	40		52		
5	36.65	17	124.61	29	212.57	41		53		
6	43.98	18	131.94	30	219.90	42		54		
7	55.31	19	139.27	31		43		55		
8	58.64	20	146.60	32		44		56		
9	65.97	21	153.93	33		45		57		
10	73.30	22	161.26	34		46		58		
11	80.63	23	168.59	35		47		59		

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 601"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									1/4/2010
CAPACITY: 292.48 GALLONS AT (34.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	102.48	24	202.81	36		48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.54	13	111.02	25	211.35	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.08	14	119.56	26	219.89	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	25.62	15	128.10	27	228.43	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.16	16	136.64	28	236.97	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	42.70	17	145.18	29	245.51	41		53	
1/4		1/4	147.31	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	51.24	18	151.57	30	254.05	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	59.78	19	160.11	31	262.59	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	68.32	20	168.65	32	271.13	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	76.86	21	177.19	33	279.67	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	85.40	22	185.73	34	288.21	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2	292.48	1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	93.94	23	194.27	35		47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 602"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 292.48 GALLONS AT (34.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	102.48	24	202.81	36		48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.54	13	111.02	25	211.35	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.08	14	119.56	26	219.89	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	25.62	15	128.10	27	228.43	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.16	16	136.64	28	236.97	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	42.70	17	145.18	29	245.51	41		53	
1/4		1/4	147.31	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	51.24	18	151.57	30	254.05	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	59.78	19	160.11	31	262.59	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	68.32	20	168.65	32	271.13	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	76.86	21	177.19	33	279.67	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	85.40	22	185.73	34	288.21	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2	292.48	1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	93.94	23	194.27	35		47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 603"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								1/4/2010	
CAPACITY: 292.48 GALLONS AT (34.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	102.48	24	202.81	36		48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.54	13	111.02	25	211.35	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.08	14	119.56	26	219.89	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	25.62	15	128.10	27	228.43	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.16	16	136.64	28	236.97	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	42.70	17	145.18	29	245.51	41		53	
1/4		1/4	147.31	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	51.24	18	151.57	30	254.05	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	59.78	19	160.11	31	262.59	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	68.32	20	168.65	32	271.13	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	76.86	21	177.19	33	279.67	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	85.40	22	185.73	34	288.21	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2	292.48	1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	93.94	23	194.27	35		47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 604"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									
1/4/2010									
CAPACITY: 292.48 GALLONS AT (34.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	102.48	24	202.81	36		48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.54	13	111.02	25	211.35	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.08	14	119.56	26	219.89	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	25.62	15	128.10	27	228.43	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.16	16	136.64	28	236.97	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	42.70	17	145.18	29	245.51	41		53	
1/4		1/4	147.31	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	51.24	18	151.57	30	254.05	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	59.78	19	160.11	31	262.59	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	68.32	20	168.65	32	271.13	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	76.86	21	177.19	33	279.67	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	85.40	22	185.73	34	288.21	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2	292.48	1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	93.94	23	194.27	35		47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 605"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									
1/4/2010									
CAPACITY: 292.48 GALLONS AT (34.5") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.00	12	102.48	24	202.81	36		48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.54	13	111.02	25	211.35	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.08	14	119.56	26	219.89	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	25.62	15	128.10	27	228.43	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.16	16	136.64	28	236.97	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	42.70	17	145.18	29	245.51	41		53	
1/4		1/4	147.31	1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	51.24	18	151.57	30	254.05	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	59.78	19	160.11	31	262.59	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	68.32	20	168.65	32	271.13	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	76.86	21	177.19	33	279.67	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	85.40	22	185.73	34	288.21	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2	292.48	1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	93.94	23	194.27	35		47		59	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 606"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 313.2 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.0	12	104.4	24	208.8	36	313.2	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.7	13	113.1	25	217.5	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.4	14	121.8	26	226.2	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	26.1	15	130.5	27	234.9	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.8	16	139.2	28	243.6	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	43.5	17	147.9	29	252.3	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	52.2	18	156.6	30	261.0	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	60.9	19	165.3	31	269.7	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	69.6	20	174.0	32	278.4	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	78.3	21	182.7	33	287.1	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	87.0	22	191.4	34	295.8	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	95.7	23	200.1	35	304.5	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 608"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK									12/23/2009
CAPACITY: 313.2 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.0	12	104.4	24	208.8	36	313.2	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.7	13	113.1	25	217.5	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.4	14	121.8	26	226.2	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	26.1	15	130.5	27	234.9	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.8	16	139.2	28	243.6	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	43.5	17	147.9	29	252.3	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	52.2	18	156.6	30	261.0	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	60.9	19	165.3	31	269.7	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	69.6	20	174.0	32	278.4	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	78.3	21	182.7	33	287.1	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	87.0	22	191.4	34	295.8	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	95.7	23	200.1	35	304.5	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 609"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								12/23/2009	
CAPACITY: 313.2 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.0	12	104.4	24	208.8	36	313.2	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.7	13	113.1	25	217.5	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.4	14	121.8	26	226.2	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	26.1	15	130.5	27	234.9	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.8	16	139.2	28	243.6	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	43.5	17	147.9	29	252.3	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	52.2	18	156.6	30	261.0	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	60.9	19	165.3	31	269.7	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	69.6	20	174.0	32	278.4	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	78.3	21	182.7	33	287.1	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	87.0	22	191.4	34	295.8	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	95.7	23	200.1	35	304.5	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 610"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								12/23/2009	
CAPACITY: 313.2 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.0	12	104.4	24	208.8	36	313.2	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.7	13	113.1	25	217.5	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.4	14	121.8	26	226.2	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	26.1	15	130.5	27	234.9	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.8	16	139.2	28	243.6	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	43.5	17	147.9	29	252.3	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	52.2	18	156.6	30	261.0	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	60.9	19	165.3	31	269.7	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	69.6	20	174.0	32	278.4	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	78.3	21	182.7	33	287.1	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	87.0	22	191.4	34	295.8	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	95.7	23	200.1	35	304.5	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 611"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								12/23/2009	
CAPACITY: 313.2 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.0	12	104.4	24	208.8	36	313.2	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.7	13	113.1	25	217.5	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.4	14	121.8	26	226.2	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	26.1	15	130.5	27	234.9	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.8	16	139.2	28	243.6	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	43.5	17	147.9	29	252.3	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	52.2	18	156.6	30	261.0	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	60.9	19	165.3	31	269.7	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	69.6	20	174.0	32	278.4	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	78.3	21	182.7	33	287.1	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	87.0	22	191.4	34	295.8	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	95.7	23	200.1	35	304.5	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 612"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								12/23/2009	
CAPACITY: 313.2 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.0	12	104.4	24	208.8	36	313.2	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.7	13	113.1	25	217.5	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.4	14	121.8	26	226.2	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	26.1	15	130.5	27	234.9	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.8	16	139.2	28	243.6	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	43.5	17	147.9	29	252.3	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	52.2	18	156.6	30	261.0	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	60.9	19	165.3	31	269.7	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	69.6	20	174.0	32	278.4	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	78.3	21	182.7	33	287.1	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	87.0	22	191.4	34	295.8	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	95.7	23	200.1	35	304.5	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

BARGE "MMI 613"
MARYLAND MARINE
HOUSTON, TEXAS

FUEL OIL TANK								12/23/2009	
CAPACITY: 313.2 GALLONS AT (36") IN.									
IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL	IN	FUEL
0	0.0	12	104.4	24	208.8	36	313.2	48	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
1	8.7	13	113.1	25	217.5	37		49	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
2	17.4	14	121.8	26	226.2	38		50	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
3	26.1	15	130.5	27	234.9	39		51	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
4	34.8	16	139.2	28	243.6	40		52	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
5	43.5	17	147.9	29	252.3	41		53	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
6	52.2	18	156.6	30	261.0	42		54	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
7	60.9	19	165.3	31	269.7	43		55	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
8	69.6	20	174.0	32	278.4	44		56	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
9	78.3	21	182.7	33	287.1	45		57	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
10	87.0	22	191.4	34	295.8	46		58	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	
11	95.7	23	200.1	35	304.5	47		59	
1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS